

## Program TYBSC IT Semester V(ATKT)

### Course: USIT501-SOFTWARE PROJECT MANAGEMENT

1. Main objective of Kanban is
    - A. Visualise the workflow
    - B. Define Requirement
    - C. Show Daily Scrum
    - D. Sprint Backlog
  
  2. What is related to the overall functionality of the delivered software?
    - A. Function-related metrics
    - B. Product-related metrics
    - C. Size-related metrics
    - D. LOC-related metrics
  
  3. What is **TRUE** for activity Plan
    - A. Should be Finalised at the beginning only
    - B. can be unclear
    - C. Revised at regular intervals according to the lessons learnt
    - D. Monitoring does not assist Planning
  
  4. Which of the following is **NOT** a report in which the review data is captured?
    - A. Review log
    - B. Review Charter
    - C. Review Preparation log
    - D. Review Summary Report
  
  5. In this stage of Development Group members get to know each other and set some Ground Rules
    - A. Forming
    - B. Storming
    - C. Norming
    - D. Adjourning
-

## **Program TYBSC IT Semester V(ATKT)**

### **Course: USIT502-INTERNET OF THINGS**

1. Which of the following is not one of the flavours of IOT?
    - A. Bubblino
    - B. Clockdillo
    - C. Washing machine
    - D. Goodnight Lamp
  
  2. \_\_\_\_\_ integrated all components on same chip along with software.
    - A. Embedded System
    - B. System on chip
    - C. Microcontroller
    - D. Integrated Chip
  
  3. Digital methods of prototyping Physical thing are 3D printer, Laser cutter and \_\_\_\_\_.
    - A. CAD
    - B. COTS
    - C. PCB
    - D. CNC milling
  
  4. Types of memories used in IOT program are \_\_\_\_\_.
    - A. RAM, ROM and Flash
    - B. RAM, CACHE and Hard disk
    - C. Registers, Cache and RAM
    - D. Physical, Virtual and Logical
  
  5. Which of the following is not used for debugging hardware?
    - A. ICE
    - B. JTAG
    - C. IDE
    - D. LED
-

## Program TYBSC IT Semester V(ATKT)

### Course: USIT503-ADVANCED WEB PROGRAMMING

1. Which of the following operator returns the address of an variable in C#?
    - A. sizeof
    - B. typeof
    - C. &
    - D. \*
  
  2. Every web application starts with a single location, called the.....
    - A. root folder
    - B. main folder
    - C. header folder
    - D. middle folder
  
  3. \_\_\_\_\_ uses a hidden field that ASP.NET automatically inserts in the final, rendered HTML of a web page.
    - A. Caption
    - B. View state
    - C. Button state
    - D. Application State
  
  4. The event in AJAX triggers
    - A. VBScript
    - B. C# Code
    - C. Javascript
    - D. Refresh
  
  5. Which view is provide by LoginView control
    - A. Anonymous template
    - B. View template
    - C. User template
    - D. Admin template
-

## **Program TYBSC IT Semester V(ATKT)**

### **Course: USIT505-LINUX SYSTEM ADMINISTRATION**

1. What is the range of niceness values in Linux System
    - A. 0 to 19
    - B. -20 to +19
    - C. -20 to 10
    - D. -10 to 10
  
  2. The maximum number of Primary partitions a system can have is
    - A. 7
    - B. 10
    - C. 4
    - D. 8
  
  3. PKI stands for
    - A. Public Key Interface
    - B. Private Key Infrastructure
    - C. Personal Key Interface
    - D. Public Key Infrastructure
  
  4. Which of the following term is a part of DNS hierarchy?
    - A. Host
    - B. Root
    - C. IP Address
    - D. System
  
  5. Which option is used to count the number of arguments provided with a script?
    - A. \$\*
    - B. \$@
    - C. \$#
    - D. \$!
-

**Program TYBSC IT Semester V**  
**Course: USIT506 - Enterprise Java**

1. \_\_\_ application is a large business application.
    - A. Enterprise
    - B. Device Driver
    - C. Virus
    - D. Web page
  
  2. A \_\_\_ is used to maintain state information of user on server side.
    - A. File
    - B. Cookie
    - C. Session
    - D. URL
  
  3. <jsp:useBean> standard tag is used to add \_\_\_ to a jsp page.
    - A. File
    - B. Server
    - C. Webpage
    - D. Java Bean
  
  4. \_\_\_\_\_ operation is used to located a resource on internet.
    - A. Lookup
    - B. Hookup
    - C. Hangup
    - D. Popup
  
  5. \_\_\_ and \_\_\_ are based on Object Relation Mapping.
    - A. Struts, JSF
    - B. Servlet, JSP
    - C. JSP, JSF
    - D. JPA, Hibernate
-